


# Tanks



- King Gauge
- Horizontal Agitator
- Tank Gaskets
- Peepsight Gaskets
- SprayHead Devices
- Custom Tanks
- Alfa Laval complete line of tank equipment



*Since 1964*

**HARCO**

ENTERPRISES LTD.













675 The Parkway  
Peterborough, ON  
K9J 7K2

1-800-361-5361  
705-743-5361  
Fax: 705-743-4312

[www.harcosupply.com](http://www.harcosupply.com)  
[sales@harco.on.ca](mailto:sales@harco.on.ca)

# Door Gaskets, Peepsight Gaskets and Agitator Seals For Storage Tanks & Tankers


The following cross-section configurations are for some of the more widely used tank "man-way" door gaskets or gaskets for tank lids. Included are gaskets for those "older" makes that have been obsoleted by the O.E.M., such as Pfaulder, Chicago and Portersville. In addition, we have the gaskets for Arnold, Bessler, Lifetyme, McHale, Potter-Rayfield, Steriline, Tolan, etc., or your "no-name" tanks...

<p><b>Arnold Tank</b></p>  <p>#ST-454 16-1/4" ID x 18" OD</p>	<p><b>Cherry Burrel</b></p>  <p>#41186-B 16-1/2" ID x 18-1/2" OD</p>	<p><b>Cherry Burrel</b></p>  <p>#BB-18015-A 16" ID x 18-3/4" OD</p>	<p><b>Chicago Stainless</b></p>  <p>#DTP-12-4 18" ID x 19" OD</p>
<p><b>Crepaco</b></p>  <p>(Creamery Package) #183-004 17" ID x 18-1/2" OD</p>	<p><b>Crepaco</b></p>  <p>#125-571 17-3/4" ID x 20-1/4" OD</p>	<p><b>Damrow</b></p>  <p>#T-564-J-2 18-3/8" ID x 20-1/4" OD</p>	<p><b>Damrow</b></p>  <p>#T-664-2 17-3/8" ID x 18-3/4" OD</p>
<p><b>Alfa Laval</b></p>  <p>M9448</p>	<p><b>Pfaulder</b></p>  <p>#3200650 16" ID x 18-5/8" OD</p>	<p><b>Portersville Tank</b></p>  <p>#20017-1 17" ID x 19-3/4" OD</p>	<p><b>Walker</b></p>  <p>#HT-3C 17" ID x 19" OD</p>

**HOW TO ORDER:** Check the shape and the size of the door gasket you require to fit on the door of your tank. Advise Equipment Part Number plus the ID x OD, and color if applicable. (Note: The dimensions of gaskets listed may vary from the size of your oval door. Allow 2-3".) If you don't see what you need, ask for it... let us know the make, model and any other information you might have; or send us a sample. NOTE: "Sight Glass" Gaskets in addition to "Peep-Sight" Glasses in Pyrex or Plexi-glass, as well as Tank "outlet flange gaskets, "Agitator Seals" and /or "Seal Assemblies" for most tanks are available. When ordering, advise part numbers if available, or specify size of glass or Peep-Sight. Delivery of most items from stock.


# Door Gaskets, Peepsight Gaskets and Agitator Seals For Storage Tanks & Tankers

## Heil




#22-B-945  
15-3/4" ID x 17-3/4" OD

## Heil




#22-B-1583  
16" ID x 18-1/4" OD

## C.E.Howard



#1A1-17  
17-1/2" ID x 19-3/4" OD

## Mojonnier



#MT-256  
17-1/4" ID x 18-5/8" OD

## Mueller




#10059  
18-1/4" ID x 19-1/2" OD

## Chester Jensen



U4206H  
17" ID x 19-1/2" OD

## APC



A-1631  
16-3/4" ID x 18-1/4" OD x 3/4"

## Dairycraft



BPT-684  
17-6/8" ID x 18-7/8" OD x 3/4"

## Dairycraft




A-2481  
17-1/4" ID x 20" OD x 1/2"

## Damrow



T-664-2  
17-3/8" ID x 18-3/4" OD

## Damrow




T-564-JS-2  
19" OD x 1" CS

## Mojonnier



MT-27791  
16-3/4" ID x 18-1/4" OD


## Muller



11645  
18" ID x 19-1/2" OD x 3/4"


# Peepsight Gaskets

## C.B.




B-18757-A  
7" ID x 8" OD Grey

## C.B.




10122-B  
3-5/8" OD x 4-1/4" OD Black

## C.B.




4011000  
3-5/8" ID x 5" OD Grey

## Chester Jensen




52H-1  
4-5/8" + 4-7/8" ID's x 5-1/2" OD Black

## Crepaco




114-320  
5-1/2" ID x 6-1/4" OD Black

## Chicago




D1P-14-13  
5" ID x 6-3/8" OD White

## C.E. Howard




5A1-13  
4-11/16" ID x 5-11/16" OD White

## DairyCraft




A-1183  
6-5/8" ID x 7-5/8" OD Grey

## DairyCraft/Arnold




ST-243  
5-7/8" + 5-1/2" ID x 6-5/8" OD Grey

## Damrow




T-564 MG  
5-7/8" ID x 6-3/4" OD White

## Damrow




T-564-RG-3  
5-15/16" ID x 6-15/16" OD White

## Damrow




T-564-PG  
7-1/8" OD x 8-1/8" OD White

## Damrow




T-564NG  
7" ID x 8" OD White

## Heil




22-8-388  
5-3/8" ID x 6-1/4" OD White

## Mueller




11171  
4-3/4" ID x 6-1/4" OD White

## Pfaulder




3200621  
5-9/16" x 6-1/2" OD Black

## Portersville









20057  
7-15/16" ID x 9-3/16" OD White









## Walker








HT-ID-8  
7-1/8" ID x 8-1/4" OD White

## SprayHead Devices

SPRAYHEAD MODEL	SPRAY PATTERN & CATALOG No.	DIAMETER AND CONNECTING JOINT	FLOW RATE US GPM	RANGE	APPLICATION
Top Pattern	 4606610108	3", 1-1/2" 15W. Bevel Thread	40 GPM @ 20 PSI 50 GPM @ 30 PSI	5' R @ 20 PSI & 6' H  7-1/2'R @ 30 PSI & 10' H	Portable Spray Rigs
Inverted Pattern	 4606610104	3", 1-1/2" Spring Clip	45 GPM @ 20 PSI 60 GPM @ 30 PSI	6' R @ 20 PSI & 18" H  7-1/2" R @ 30 PSI & 24" H	Cylindrical or Rectangular Vessels
Side Pattern	 4606610105	3", 1-1/2" Spring Clip	40 GPM @ 20 PSI 35 GPM @ 10 PSI	6' R @ 20 PSI & 6' H  4' R @ 10 PSI & 4' H	Evaporator Separators Dryers, Portable Units In upright Vessels
High Volume Perimeter Pattern		3", 1-1/2" Spring Clip	80 GPM @ 20 PSI 70 GPM @ 15 PSI	6' R @ 20 PSI & 6" H  5' R @ 15 PSI & 5" H	Chip Fryer
Model "GC" E-002-004		3-1/2", 1-1/2" Clip	65 GPM @ 10 PSI 80 GPM @ 15 PSI 100 GPM @ 30 PSI	5-1/2' R @ 20 PSI & 3' H	Versatile high volume spray head for permanent installation in all types of tanks, installed in groups of two or more for large tanks.
Model "G6" E-002-001		3-1/2", 1-1/2" CLIP (2)	40-110 GPM @ 3-10 PSI		Permanent "Under the Umbrella" installation in evaporators, in steam chests of other evaporators and in vacuum pans.
Model "G7" E-002-002		3-1/2", 1-1/2' CLIP (2)	80-110 GPM @ 7-10 PSI		Also used for tubular Percolators 3'-4'dia.
Model "G8" E-002-003		3-1/2", 1-1/2" Clip (2)	80-120 GPM @ 7-10 PSI		

SPRAYHEAD MODEL	SPRAY PATTERN & CATALOG No.	DIAMETER AND CONNECTING JOINT	FLOW RATE US GPM	RANGE	APPLICATION
Low Volume Perimeter Pattern		3", 1" Spring Clip	40 GPM @ 20 PSI 30 GPM @ 10 PSI	110 GPM @ 3 PSI 200 GPM @ 5 PSI	Small tanks, Small Processors, and farm bulk tanks
Brew Kettle Sprayball		3", 1-1/2" Spring Clip	5'R @ 20 PSI & 10"H 2-1/2'R @ 10 PSI & 8"H	3 Balls for 12-15' Diameter Kettles	Brew kettles, Vertical Mash & Vertical Cereal Cookers, Direct Spray Contact on Coils, Percolators, & Large Agitators
3" Evaporator Sprayball		3", 1-1/2" Spring Clip	70 GPM @ 25 PSI 60 GPM @ 20 PSI	18 to 26" dia. Steam Chests	10-36" dia. Evaporator Steam Chests & Vacuum Pans
4" Evaporator Sprayball		3", 2" Spring Clip	55 GPM @ 5 PSI 80 GPM @ 10 PSI	36-60" dia. Steam Chests	36"-60" dia. Evaporator Steam Chests & Vacuum Pans
Model "D" E-002-010		2-1/2", 1" Standard Pipe Thread	45-58 GPM @ 15-20 PSI	6'R @ 20 PSI & 24" H	General Purpose: Kettles, Cookers, Vats, Retorts, etc.
Model "T" E-002-009		3-1/2", 1-1/2" Clip	42 GPM @ 15 PSI - 8' Throw 55 GPM @ 25 PSI - 12' Throw 70 GPM @ 40 PSI - 15' Throw 82 GPM @ 55 PSI - 17' Throw		Versatile high volume spray head used in pairs on "T" mounting set in the "Tri-Vent" man hole ltd. Recommended for all sizes transport and farm pickup tank trucks.
Model "S"		1-1/2". 3/4" Clip	8 GPM @ 5 PSI 16 GPM @ 20 PSI		Evaporator duct work, small vessels, and processing tanks.
Model "JC-1/16" E-002-012		2-1/2" 1" Clip	36 GPM @ 15 PSI 43 GPM @ 20 PSI		General purpose: Can replace model D or JC when lower flow rates are desired.

# Tanks

SPRAYHEAD MODEL	SPRAY PATTERN & CATALOG No.	DIAMETER AND CONNECTING JOINT	FLOW RATE US GPM	RANGE	APPLICATION
Model "FC" SPECIAL ORDER		2-1/2", 1-1/2" Clip	30 GPM @ 5 PSI - 6' Throw - 18"H 34 GPM @ 10 PSI - 9' Throw - 18"H 44 GPM @ 15 PSI - 11' Throw - 24"H 48 GPM @ 18 PSI - 12' Throw - 30"H		Horizontal tanks or over the road tanks. On a tee arrangement in Manhole, or Permane installation
Model "JC" E-002-006		2-1/2", 1" Clip	72-84 GPM @ 15-20 PSI	6'R @ 20 PSI & 24" H	Processing Vats, Cookers, etc. With agitators & Other internal Parts at bottom requiring full 360oF coverage.
Model "J6" E-002-005		2-1/2", 1" Clip	40-50 GPM @ 15-20 PSI	6'R @ 20 PSI & 24" H	Versatile low volume, low pressure spray head for use in dairy, brewery & other tanks. Situations where flow must be kept to a minimum. Installed in groups of two or more in larger equipment.
Model "J6" E-002-007		2-1/2", 1" Clip	43-56 GPM @ 15-20 PSI	6'R @ 20 PSI & 24"H	Versatile low volume, general purpose spray head for tanks, evaporators, etc. Surfaces requiring spray coverage Installed in group of two or more in larger equipment.
Model "KC" E-002-008		2-1/2", 1" Standard Pipe Thread	43-56 GPM @ 15-20 PSI	6'R @ 20 PSI & 24"H	For same application as above where pipe thread connection permissible.

For more information on our Tanks and tank products please contact our sales desk.  
800-361-5361

# Tanks

We Can Supply Processors,  
Kettles, & Silo Tanks Or Custom  
Tanks To Your Specifications.



Send Us Your  
Requirements  
For a Quote.



Custom Tanks For The Wine,  
Beer, and Food Processing  
Industries.

