

Since 1964

SANITARY VALVES CATALOG











Supply House to the Processing Industries Since 1964

Trusted supply house of sanitary processing equipment, parts and supplies for the dairy and food, brewery, beverage and pharmaceutical industries.

Harco Enterprises offers a diverse line of sanitary and hygienic processing equipment, parts and supplies including pumps, sanitary valves, separators, homogenizers, gaskets and fittings, sanitary hoses, and instrumentation as well as a variety of other products from world leading manufacturers such as Alfa Laval, Ampco, Tetra Pak, Burkert, Tri-Clover, Remco, Vikan, Carlisle, Haynes, Strahman, and more.

These products are distributed to dairy, food, beverage processing facilities as well as the pharmaceutical, brewing, and fisheries industries throughout North America.

Many of our products are customized in design due to strict sanitary and hygienic standards, and all are built to stand up to the demands of high production environments. Resourcefulness and quick delivery are important to you, and Harco always provides both.

Check out our large collection of equipment, parts and supplies, including our line of color-coded products available.

Visit our website today at www.harcosupply.com

SANITARY VALVES

Harco supplies a wide variety of sanitary valves to the dairy processing, food service and pharmaceutical industries from a range of suppliers, including **Alfa Laval**, **Burkert** and **Dixon**. Our sanitary valves can fit all of your application needs.

Designed to provide superior safety, efficiency and hygiene yet with low cost of ownership, these valves enable you to deal with the full spectrum of your changing requirements. We also supply parts for discontinued valves like the Alfa Laval SRC, and names like De Laval, G&H, and Crepaco.

Butterfly (pg. 4) Butterfly valves: simple on/off control, wide opening, low flow resistance.

Check (pg. 4) Check valves ensure safe one-way product flow in process lines

Mixproof (pg. 6) Mixproof valves prevent cross-contamination with dual-product simultaneous flow.

Single Seat (pg. 6) Versatile single-seat valves for hygienic processes, with 12 configurations.

Regulating (pg. 8) Regulating valves precisely control flow rates and pressure for adjusting/monitoring flow.

Automation (pg. 9) Automation systems offer seamless flow control with reliable feedback and easy setup.

Ball (pg. 10) Versatile sanitary ball valves for various industries, managing viscous or particle-laden liquids.

Sampling (pg. 11) Sampling valves collect representative samples from various products.

Shutter (pg. 12) The shutter valve, designed for sanitary use in industries like food and pharmaceuticals, operates manually or pneumatically.

Vacuum Breakers/Relief (pg. 12) Vacuum Breakers/Relief valves are used to ensure single directional product flow through process lines.

Diaphragm (pg. 13) Diaphragm valves (control, on/off and hygienic specialty valves) meet the requirements of most sterile and ultra-hygienic processes.

675 The Parkway

Peterborough, ON

K9J7K2

Flow-Divert (pg. 14) Flow-divert valves redirect fluid flow in HTST applications, ensuring product integrity.



BUTTERFLY VALVES

Alfa Laval LKB Valves

Alfa Laval's butterfly valve is a straightforward on/off routing valve, with a substantial opening area and low flow resistance. Where hygiene standards are important, this valve is ideal to use with low- and medium-viscosity liquids.

The butterfly valve range has modular units designed to meet the full spectrum of requirements at working pressures, from full vacuum to 10 bar. All valves are FDA-compliant, designed to use in a range of stainless steel pipe systems, and can be built to comply with virtually any installation standard.

This valve can be complemented with a lockable handle for manual operation with an actuator, combined with either a valve indication unit or Alfa Laval ThinkTop valve sensing and control units.

For manual operation, Alfa Laval provides a selection of handles, including a multi-position lockable handle.

For automated operations, different actuators are available; the special double-spring design enables application of maximum torque to the valve disc at breakaway and seal positions. This makes it easy to integrate these valve units into larger systems operated from a central point, and/or to operate them automatically for maximum efficiency. Alfa Laval LKB parts are available.



Visit our web site at https://www.harcosupply.com/valves/butterfly/

CHECK VALVES

LKC Check Valves

LKC 2 Check Valve

Specially designed for use in stainless steel pipe installations, Alfa Laval's LKC-2 non-return valve ensures the single directional product flow through process lines. This provides protection for process equipment that can be affected by reverse flow and prevents pressure surges and/or system shutdown. Widely used in various processes throughout the sanitary industry, these standard non-return valves are safe and highly reliable.

LKC UltraPure Check Valve

Designed to meet the specific demands and strict standards of the biotech, pharmaceutical and personal care industries, the LKC UltraPure non-return valve provides safe, easy installation and high, consistent quality.

Alfa Laval LKC & LKC UltraPure parts are available.

stry, these standard non
LKC 2
Check
Valve

Ch,
n

LKC UltraPure
Check Valve

Visit our web site at https://www.harcosupply.com/valves/check-valves/



Alfa Laval 45BYMP Y Body Check Valves

Alfa Laval's 45BYMP Y Body Check valve is designed to enable the product to pass through the valve with no restrictions with a minimal pressure drop while preventing reverse product flow in hygienic stainless steel pipe installations. Capable of being installed in either a vertical or horizontal position, the valve features a seat and stem angled at approximately 45° to the pipe axis.

Durable and long-lasting, the valve operates at a wide range of pressures and flow rates. Because the sealing check ball moves completely out of the process flow when open, the valve offers low pressure drop and easily handles viscous products or liquids containing solid particles.



The Alfa Laval 45BYMP Y Body Check Valve is widely used across the dairy, food, beverage, home-personal care and chemical industries.

Alfa Laval's 45BYMP Y Body Check Valves consist of a single-piece, stainless steel body with an elastomeric ball, available in Buna, SFY and Nylon. The "Y" branch of the valve maintains a Tri-Clamp® connection along with an associated Tri-Clamp, end-cap, and gasket. The valve is polished internally and externally and is authorized to carry the 3A symbol.

These 45BYMP Y Body Check Valves from Alfa Laval are available both weld and tri-clamp connections and in 1.5"-3" connections.

Materials

- Product wetted steel parts: Stainless steel AISI 316L
- Ball Materials: Buna, SFY, Nylon (max. 140°F)
- Other steel parts: Stainless steel AISI 304
- Finish: 32 Ra standard

Visit https://www.harcosupply.com/valves/check-valves/45bymp-y-body-check-valve/

Alfa Laval Air Blow Check Valves

Harco offers Alfa Laval's 62-174/326 Tri-Clover® brand Air Blow Check Valves, designed to evacuate lines of product or CIP media, or for air agitation of product in tanks and other vessels across the dairy, food, beverage, home-personal care and chemical industries.

The Alfa Laval 62-174/326 Air Blow Check Valve consists of a valve body, gasket, adapter, plug assembly, return spring, stem guide, filter disc, perforated disc and buna gasket, washer and clamp.

The valve easily installs in any horizontal or vertical position on tanks or other vessels for product agitation using a Tri-Clamp, a gasket, and a mounting ferrule. No other fittings are required.



Standard Design

- Fail Safe Operation backflow of product or CIP solution prevented by simple air to open, spring to close operation.
- Easy Assembly/Disassembly Tri-Clamp® connections permit quick disassembly and assembly for replacing Filter Media, cleaning or inspection.
- Remotely Controlled can be remotely controlled by controlling the supply of air to the valve.
- Rugged Construction type 316 stainless steel is standard. Spherical plug assembly is bonded EPDM rubber.
- Conforms to 3A Accepted Practices for applications requiring a final filtering of air prior to entering tank or pipelines.

Visit https://www.harcosupply.com/valves/check-valves/alfa-laval-air-blow-check-valve/





MIXPROOF VALVES

Mixproof Valves

Alfa Laval's Unique Mixproof valve enables simultaneous flow of two products or fluids through the same valve, without risk of cross-contamination. Its state-of-the-art double-seat design provides long-lasting, spill-free operation thus minimizing the risk of product contamination. The use of double-lip seals provides added protection to ensure a safe and hygienic operation.

The Unique Mixproof valve is a normally closed valve that is controlled from a remote location by means of compressed air. To separate the two liquids, the valve has two independent plug seals. The space between the two seals forms an atmospheric leakage chamber. In the rare case of accidental product leakage, the product flows into the leakage chamber and is discharged through the leakage outlet.

When the valve is open, the leakage chamber is closed. The product can then flow from one line to the other without spilling. The valve can easily be cleaned and protected against the effects of water hammer, according to the specific requirements of the process and the configuration of the valve. There is no product spill during valve operation. Alfa Laval Mixproof parts are available.

Visit our web site at https://www.harcosupply.com/valves/mixproof/





SINGLE SEAT VALVES

Unique Single Seat Valves

The Alfa Laval unique single seat valve (SSV) is a robust, reliable and versatile pneumatic valve designed for uninterrupted production in a broad range of hygiene-critical applications.

The unique SSV is an air-operated seat valve, that can be remotely controlled. It can be configured as a shut-off or change-over valve with various actuators NO, NC or two-step for smoother operation to avoid pressure peaks and/or over filling of a tank.

Valve bodies, plugs and actuators of these control valves can be configured to meet virtually any requirement, resulting in cost-effective solutions that meet high standards of hygiene and aseptic compatibility.

The unique SSV range of food grade valve is engineered to provide excellent hygiene and cleanability. With a surface finish of Ra \leq 0.8 μm , the smooth, weld-free valve body eliminates crevices that can trap bacteria. The design of the plug supports enhanced cleaning-in-place (CIP) capabilities, and a double-acting lip seal that minimizes any risk of cross-contamination.

Thanks to its straightforward, reliable design, the unique SSV range provides a long service life, reduced product loss, greater product safety and more processing uptime. Alfa Laval unique SSV parts are available.



Visit our web site at https://www.harcosupply.com/valves/single-seat/unique-ssv/



Tri-Clover® 700 Series Valves

The Alfa Laval Tri-Clover 700 Series is a range of air-operated single-seat valves that provide years of reliable performance, and have been installed for decades in various food, dairy and beverage plants across the U.S.

700 Series valves can be configured with either a short- or long-stroke actuator. The 761 valve has a flexible sanitary design, allowing it to be used in a wide range of applications, as a stop valve with two or three ports or as divert valve with three to five ports.

The valves feature a durable and dependable design with rugged plastic stem bushings, which eliminate metal-to-metal galling. In addition, the stem is threaded to the actuator shaft, eliminating the coupling between the stem and actuator, thereby ensuring proper alignment. Bushings at each end of the cylinder support stem also ensure perfect alignment. Finally, each valve features a heavy-duty bonnet and body ferrule design that will stand up to years of pounding from hydraulic shock.

Tri-Clover 700 Series valves are available in both long and short actuators, including a wide selection of shut-off and divert valves. Sizes range from 2" (50 mm) to 4" (102 mm), in normally opened or closed positions. Alfa Laval Tri-Clover 700 Series parts are also available.







Bürkert Single Seat Valves

Harco offers a range of Bürkert valves for sanitary and utility use. Bürkert is unique in its product offering for measuring, controlling and regulating fluids. Their products are designed to be configured, delivered and installed as simply as possible.

Their vast portfolio (28,000 types) of Germanengineered products are precision manufactured solely to contribute to the efficiency of your process. Whether your area of process control involves temperature, pressure, pH, conductivity, flow or level, Bürkert has the products that can make your life simpler.





Visit our web site at https://www.harcosupply.com/valves/single-seat/burkert-ssv/



REGULATING VALVES

CPM Valves

Alfa Laval's Constant Pressure Modulating (CPM) valve is a pneumatic regulating valve that maintains a constant inlet or outlet pressure in hygienic process lines. Thanks to a quick response diaphragm, these compact valves immediately react to any change in product pressure, adjusting position to keep the pressure at pre-set values.

A CPM valve features a self-draining design and crevice-free, bowl-shaped valve body with welded valve seat to enable thorough cleaning, thus eliminating potential entrapment areas. The unique diaphragm with PTFE on the lower diaphragm also contributes to excellent cleanability.

Designed to maintain a constant pressure at the valve inlet or outlet, using different plug sizes and different Kv values.



The diaphragm in the valve enables it, under aseptic conditions, to react effectively to any changes in product pressure by shifting position against a constant air pressure. Alfa Laval CPM parts are also available.

Visit our web site at https://www.harcosupply.com/valves/regulating/cpm/

Alfa Laval Unique RV-ST Valves

Harco offers the **Alfa Laval Unique RV-ST Valves**, a intelligent hygienic regulating valve that safely and effectively controls process flows with Kv values between 9 and 246 m³/hour. It's designed for a wide range of fluid-handling duties, such as metering, blending, weighing and filling system duties, in the food and beverage, brewery, biotech and pharmaceutical and chemicals industries.

Corrosion-free features, such as tapered stainless steel stems, ensure product safety according to EHEDG guidelines. With a push of a button, the Unique RV-ST regulating valve from Alfa Laval automatically calibrates itself so that it's fully operational.

Built on the proven single seat valve platform, which has an installed base of more than one million valves, the Alfa Laval RV-ST UltraPure offers the same reliability, safety and ease of maintenance. Its offers protection class IP65 and IP67 for tough process environments.

It uses the same few moveable components, spare parts and maintenance tools and procedures as Alfa Lavai's Unique SSV valves. Using the upgrade kit available, it's possible to upgrade older regulating valves with the new control unit. The new control unit also supports rebuild of the actuator from NC (Normally Closed) to NO (Normally Open) and vice versa.

e of more than one afety and ease of s environments.

Visit https://www.harcosupply.com/valves/regulating/unique-rv-st/

AUTOMATION

V20/V50/V70 ThinkTops

The compact **Alfa Laval ThinkTop V50 and V70 valve control units** are the secondgeneration of the leading sensing and control units for hygienic valves. It ensures unmatched control of all Alfa Laval valves used in the dairy, food,

beverage, brewery and pharmaceutical industries.

The ThinkTop V50 and V70 valve control units offer a single-sensor solution for butterfly, single-seat and mixproof valves; a single control unit can be fitted with up to three solenoid valves. ThinkTop converts the electrical PLC output signals into mechanical energy to energize or de-energize the air-operated valve, using the physical sensor target mounted on the valve stem.

Boost process productivity and secure product traceability with the Alfa

Laval ThinkTop V20 valve indication unit. Reliable and cost-effective, it provides intuitive sensing of the hygienic valve status and position in real time. Easy to install on Alfa Laval valves with standard mushroom connections, the valve sensor is suitable for hygienic applications across the dairy, food, beverage, home and personal care, biotechnology, pharmaceutical and many other industries.

Also available is the ThinkTop and ThinkTop Basic combine Alfa Laval's quality with standard functionality for automated sensing and control of sanitary valves.

Visit our web site at https://www.harcosupply.com/valves/control-tops/





burke

Burkert 8681 Control Head

A Burkert Control Top is an excellent alternative which fits many valve designs. With the control head 8681, its status display is bright and its talent shines through in its central role in decentralized automation.

Universally adaptable, combining with all valve forms, it takes on the complete pneumatic control, feedback and diagnostic and even bus communication. Since it's made of chemically stable materials, has a high IP protection and is easy to clean, the 8681 is perfectly suited for hygienic applications.

Features:

- Universal attachment for hygienic process valves
- Contactless position measurement system with 3 switching points (teach-In function)
- Coloured status display
- Manual override to be used with closed housing
- Communication interfaces AS-Interface and DeviceNet

Visit our web site at https://www.harcosupply.com/valves/automation/burkert-control-tops/



burkert

BALL VALVES

Alfa Laval Sanitary Ball Valves

Alfa Laval's sanitary ball valves (SBVs) are full-bore flow valves that provide on/off control with minimal pressure drop. The valve opening has a constant pipeline diameter, which enables fluids to flow freely through the valves when open. Flow restriction is comparable to that of a straight tube.

This makes the SBVs suitable for handling fluids that are viscous or contain solid, semi-solid or abrasive particles, for pigging of process lines is a major consideration, applications that require gentle product treatment and Clean-in-Place applications.

Easy to build into most process lines, Alfa Laval SBVs feature a straightforward floating ball design, which guarantees a tight seal and permits axial movement while preventing rotation. They are water hammer-safe and completely insensitive to pressure shocks in the pipelines.

Spring-loaded, self-adjusting seal rings provide highly reliable valve stem sealing. Alfa Laval Sanitary Ball Valves with automated control have inspection holes in the bonnet for easy inspection of the stem seal. Alfa Laval SBV parts are also available.



Visit https://www.harcosupply.com/valves/ball-valves/alfa-laval-ball-valves/

Burkert Sanitary Ball Valves

Burkert has a full range of manual and pneumatic sanitary ball valves. Bürkert's sanitary ball valves are offered in sizes 0.5" to 4" diameter and in Butt weld, NPT and Socket weld connections. With a variety of valve bodies and seal materials available to meet your specifications, there is a valve to meet your application.



Visit https://www.harcosupply.com/valves/ball-valves/burkert-ball-valves/



Dixon Sanitary Ball Valves

Harco offers a full line of Dixon sanitary and non-sanitary 2- and 3-way ball valves with a manual handle or air actuation.



A number of sizes and connection types are available.

Applications: Isolation, Diversion, Control, Material, CF8M

Features:

- 5 encapsulated seat materials available
- ISO 5211 mounting pad standard
- Optional 2-way V-port seat
- Various actuation and control packages

Sizes: 1/2" to 4"



2-Way 3 Piece Encapsulated Ball Valves - BV2CV-200CC-A

3-way Multi-port Sanitary Stainless Steel Ball Valve -BV3SVLF150C-A





Pneumatically Actuated 3-Piece Sanitary Stainless Ball Valve -BV2CV-200CC-BBC

Visit our web site at https://www.harcosupply.com/valves/ball-valves/dixon-ball-valves/

SAMPLING VALVES

Alfa Laval Sampling Valves

Unique Sampling Valves

With Alfa Laval's unique sampling valves, you can take representative samples in a variety of hygienic processes within processing industries. These reliable single and double-seat valves provide the high accuracy, exceptional reproducibility and excellent reliability required for high quality, cost-effective sampling.



The A30S sampling valve is available with a tri-clamp or plain bevel seat connection, designed to connect directly to a port in the side of a tank. The sample is taken with a simple press of the spring return manual actuator.

Keofitt Sampling Valve

The Keofitt sampling valve is designed for steam sterilization before and after each sampling. The valve consists of three parts, a valve body, a valve head and a membrane. The rubber membrane is placed on the stem of the valve head and works as a stretchable plug. The valve bodies and valve heads are interchangeable.

RECEIT S

Visit our web site at https://www.harcosupply.com/valves/sampling-valves/



SHUTTER VALVES

Alfa Laval Shutter Valve (Koltek)

The Koltek valve is a manually or pneumatically operated valve, designed for use in the food, chemical, pharmaceutical and other industries where valves of sanitary design are needed.

A PTFE shutter is operated by means of a handle or an actuator. A spring system presses the shutter against the inside cylindrical surface of the valve body, thus ensuring complete tightness.

The air actuated valve can be fitted with ThinkTop® or a laterally-fitted indication unit for remote indication of the valve position. The manually-operated valve can be fitted with laterally indication units (used for LKLA actuators). The actuator for the valve comes in two versions: single acting or double acting.

The single acting actuator operates with one main piston, whereas the double acting actuator operates with two main pistons. Koltek parts are available.





Visit our web site at https://www.harcosupply.com/valves/shutter-valves/

VACUUM BREAKERS/RELIEF VALVES

Alfa Laval's Vacuum Breakers/Air Relief Valves

Alfa Laval Unique 7000 Relief Valves

The Unique 7000 vacuum breaker from Alfa Laval provides relief from vacuum in process lines, along with the latest in sanitary design and cleanability. This air operated vacuum breaker is used to eliminate vacuum on the downstream side of the pasteurizer in an HTST system or other situations where a vacuum can occur in a process line.

B44MP Vacuum Breaker

The B44MP vacuum breaker is available in 1½" and 2" tri-clamp connection. It uses a teflon plug and o-ring design. Positive pressure keeps the o-ring sealed against the base. During vacuum, the plug and o-ring drop down allowing air into the system. The standard o-ring is Buna, but can be changed to other elastomers.

LKUV-2 Air Relief Valve

The LKUV-2 air relief valve is designed for use when air removal from a process line without product loss is a primary concern. These provide solid safety, efficiency and low cost of ownership for processing where hygiene standards are essential.

The LKUV-2 air-relief valve is an automatic double-seat valve engineered to relieve excess air in industrial processing lines. Vertically installed, this valve is ideal for use on the top of a pipeline, container, or before a pump inlet.



Visit our web site at https://www.harcosupply.com/valves/vacuum-breakers-relief-valves/



Diaphragm Valves

Alfa Laval Unique DV-ST UltraPure Diaphragm Valves

The Alfa Laval Unique Diaphragm Valve UltraPure meets the requirements of most sterile and ultrahygienic processes. With a fully modular design and enhanced compatibility, Alfa Laval's DV-ST UltraPure diaphragm valves offer solutions for all hygienic industries. Their customizability allows you to create a complete valve system to meet virtually any demand in the pharmaceutical and biotech industry.

The Alfa Laval Unique DV-ST UltraPure Diaphragm Valve has two modes of operation: manual operation by means of a handle and pneumatic operation by means of a pneumatic actuator. For manual operation, a simple turn of the handle lifts the compressor upwards, moving the diaphragm away from the weir of the valve body thereby opening the valve. Turning the handle in the opposite direction pushes the compressor downwards onto the diaphragm, pressing the diaphragm against the weir of the valve body, thereby closing the valve.

For pneumatic operation, the pneumatic actuator controls the axial movement of a piston, thereby opening or closing the valve depending on the actuator function.



Visit our web site at https://www.harcosupply.com/valves/diaphragm-valves/alfa-laval-unique-dv-st-ultrapure/

Burkert Diaphragm Valves

Bürkert offers a broad range of diaphragm valve solutions (control, on/off and hygienic specialty valves) to fit your individual needs. Configure your valves from the very best ingredients of actuator, diaphragm and body from a single source with proven Bürkert quality. Choose the innovative Tube Valve Body for example and regain production time due to shorter heat-ups and cool-downs. You can combine it with your desired diaphragm and actuator.

All the materials used in making the Burkert diaphragms are traceable. This gives you the assurance that only the "best of ingredients" have been used for your diaphragm. In addition to this, you can choose from a wide variety of materials (and therefore diaphragm types). providing for maximum flexibility to suit your processing task. A number of diaphragms from our range are suitable for CIP (Cleaningin-Place) and SIP (Sterilization in Place), and it goes without saying that they are internationally certified for use in hygienic processing.



Visit our web site at https://www.harcosupply.com/valves/diaphragm-valves/burkert-diaphragm/



K9J7K2

FLOW-DIVERT VALVES

Alfa Laval Unique SSV Flo-Diversion Valves

The Alfa Laval Unique SSV Flo-Diversion Valves are designed for high-temperature short-time (HTST) systems in the dairy, beverage, and food industries. These valves prioritize product integrity and are available in two variants: the standard closing with the flow and the innovative Reverse-Acting valve closing against the flow, preventing hydraulic shock.

Crafted with durability in mind, the valves feature 316L stainless steel for product-wetted parts, meeting FDA and 3A compliance standards. Alfa Laval's Flo-Diversion Valves adhere to PMO and 3A requirements, ensuring hygiene and safety in regulated industries.

The valves, available in 1.5" to 4" tube OD sizes, leverage the design advantages of Alfa Laval's SSV series. Maintenance is streamlined with fully maintainable actuators, and the ThinkTop V50® Digital 24 VDC control top offers precise sensor accuracy. Quick air exhausts ensure swift actuation, and ThinkTops have an IP67 (Nema 4x) protection rating for robust performance.

Alfa Laval Unique SSV Flo-Diversion Valves from Harco are the pinnacle of reliability, precision, and compliance, enhancing fluid control in your processes. Elevate your operations with valves designed to meet and exceed industry standards, ensuring the integrity and safety of your products.

Visit https://www.harcosupply.com/valves/single-seat/unique-ssv/



Tri-Clover® 762 Flo-Diversion Valves

The Alfa Laval Tri Clover 762 Flo-Diversion Valves are engineered for precision and reliability in HTST systems within the dairy, beverage, and food industries.

The standard and Reverse-Acting variants, crafted with a rugged design, excel in applications where product integrity is crucial. With a patented design to prevent hydraulic shock, these valves feature premium construction using 316L stainless steel and FDA-compliant materials.





The Alfa Laval Tri Clover 762-227 Flo-Diversion Valve, an extension of the 761 Series, offers user-friendly features, compliance with sanitary standards, and versatile installation options. Benefit from smart control solutions with a NEMA 4 microswitch control housing and solenoid options for seamless integration.

Alfa Laval Tri-Clover 762 Series parts are also available. Trust Harco for unparalleled excellence in your process lines.

Visit https://www.harcosupply.com/valves/single-seat/tri-clover-700-series/







OUR CAPABILITIES





Harco is a Peterborough-based company that is a leader in the supply, design, fabrication and repairs of sanitary components and stainless steel equipment for the pharmaceutical, food, dairy, brewery, and beverage processing industries.

We are proud to provide quality service and support to customers throughout North America since 1964. Offering high quality brands and materials, our custom work is of the highest quality and we ensure it is upheld from start to finish.

Harco offers a full range of sanitary stainless steel processing equipment, from pumps and valves, mixers and blenders to homogenizers and separators and custom fabrications. We back what we sell by offering extensive parts, repairs and customer support.

We're committed to creating forward-thinking solutions that drive your bottom line and keep your business top of mind.

Visit our website for more information at https://www.harcosupply.com/capabilities/







1-8 7 **Fa**x

675 The Parkway

Peterborough, ON

K9J7K2

1-800-361-5361 www.hai 705-743-5361 sales@



Product Line Card

Supply House to the Processing Industries Since 1964

Harco partners with leading manufacturers in the industry to bring you an innovative range of sanitary and hygienic processing equipment and supplies. With experience in design, manufacturing and support, our partners are selected for their quality, reliability, and advanced products.



































































































