Products Tailored for Breweries, Wineries, and Distilleries!



Check out our ever expanding website!



CUSTOM CRIMPED **HOSE ASSEMBLIES**

HOSES with the fittings you want!

John Perry, Bevel Seat, Q-Line, Tri-Clamp®, Butt-Weld, SMS, DIN, NPT and Camlock.

Novaflex 6506

Connoisseurs Food & Beverage Hose

Special kink and crush-resistant suction and discharge hose meets 3-A, FDA, USDA, and CFIA standards. Designed for demanding applications; temperature and chemical resistance. Features microbe-resistant tube on stainless steel mandrels for cleanliness NovaFlex*** in non-oily use.

Novaflex 6403 UHMW Tube Food Suction and Discharge Hose

For specialized applications like food transfer, this rubber hose is flexible and has a white FDA-approved ultra-high molecular weight polyethylene grade tube. Built on stainless steel mandrels for cleanliness, its ultra-smooth. microbe-resistant tube ensures hygiene.

HOSE SUPPORT SYSTEM

Harco is offering a Hose Support System with a durable two-piece design and impactresistant thermoplastic.

steel piping, lifting them off the floor to minimize wear and tear, maintain cleanliness, and protect sanitary connections. During washdown, it prevents damming, promoting efficient drainage and inhibiting bacterial growth. Its safety-focused design, featuring an easy-to-grab handle and high-visibility yellow coating, ensures a safer workplace. Experience the reliability and convenience of this hose support today!



WASH DOWN HOSE EXTRUDED 5/8"

Harco offers this heavy-duty Extruded Hose that is flexible. lightweight and easy to handle. This hose resists oil, abrasives, and fatty and lactic acids. It handles a wide range of temperatures and work pressures for a variety of applications.

A spray nozzle is not included, however any mixing units and spray nozzles can be purchased along with this hose assembly to build a complete wash down system.

Available with brass/stainless steel ends.

- Tube: FDA White & Black Nitrile
- Cover: Smooth extruded rubber
- Connections: ½" x ¾" Male NPT swivels
- Working Pressure: 300 PSIG
- Maximum temperature: 200°F





518 inch 1.D. 300

WASH DOWN MIXING STATIONS

Steam & Water **Mixing Stations**

Steam and Cold Mixing Water Units, designed to produce hot water instantly from a

steady supply _ of steam and cold water.

And is available in bronze or chrome-plated material.

Strahman

M-5000TG

ARCHON WD2010



LOW FLOW NOZZLES

HYDRO-PRO-150

Black, white, or red.

Heavyweight performance in a lightweight design! This water saver spray nozzle is ergonomically designed to reduce user fatigue. Stays cool even when using water as hot as 200°F.



M-70 SERIES

With swivel adapter. Black (M-70), white (M-75), or red (M-77).

Automatic Water Saver Spray Nozzles automatically shut off the moment the lever is released, thereby eliminating all waste of water.

DURAFLOW SPRAY NOZZLES

DH150

Navy, red, or white.

- Front trigger guard cover designed to prevent accidental spray.
- Trigger lock mechanism built in.
- Quick connect receptacle for accessories.
- Compatible with DuraWand.





SANITARY PUMPS - Flow Components Authorized Alfa Laval & Tetra Pak Distributor

The highly efficient pumps supplied by Harco provide precision pumping for all kinds of fluids with different viscosities, and the desired functionality for gentle and cost effective food production.

- Centrifugal
- Rotary Lobe
- Liquid Ring
- Positive

Applications: Brewing, Dairy, Food, and Pharmaceutical Industries.



Twin Screw







♠ Tetra Pak



Large Inventory of OEM Spare Parts in stock.

FOR MORE PUMPS, VISIT OUR WEBSITE AT https://www.harcosupply.com/pumps/

SANITARY VALVES - Flow Components Authorized Alfa Laval & Tetra Pak Distributor

The smart design of all valves supplied by Harco incorporate state of the art, precision engineered designs that meet or exceed current regulatory requirements. This category covers a wide range of valves for both sanitary, aseptic and non-sanitary applications.

- Unique Mixproof PMO
- Single Seat SSV/7000 Series
- Shutter/Butterfly
- Regulating
- Sampling
- Automation
- LKC check valves



Applications: Brewing, Dairy, Food, and Pharmaceutical Industries.

FOR MORE VALVES, VISIT OUR WEBSITE AT https://www.harcosupply.com/valves/

ThinkTops V20, V50 and V70 takes valve control to a new level and all these new features are available on any Alfa Laval diaphragm, butterfly, single-seat and mixproof valves.

Benefits:

- Automatic valve recognition
- Automatic selection of tolerance ban
- Fast Auto, Live and Flex Setup
- 360-degree LED indication
- Burst seat clean
- Exchangeable (threaded) air-fittings
- Interchangeable with ThinkTop class



FOR MORE VALVES, VISIT OUR WEBSITE AT https://www.harcosupply.com/valves/control-tops/



HEAT EXCHANGERS

For Sanitary, Industrial, **Process Applications**

Harco gives you access to a wide range of compact

plate heat exchangers that are especially designed for pasteurizing, and other kinds of heating and cooling of liquid foods.



BRAZED PLATE HEAT EXCHANGERS

Alfa Laval brazed heat exchangers are a compact and efficient solution for heating and cooling duties using water, evaporation and condensing, coolants, oil and refrigerants.

CB brazed plate heat exchangers provide high thermal efficiency.

Optimized for demanding duties, Alfa Laval's patented AlfaNova is a unique fusion-bonded heat exchanger made from 100% stainless steel.

PLATES AND GASKETS

Harco provides plates. gaskets, and technical support for many brands of heat exchangers.

Whether you require individual components or complete packs, we meet your unique needs.



Authorized Distributor & Tetra Pak

AIC - JAD LINE HEAT EXCHANGERS

Stainless Steel & Coil Heat Exchangers

JAD shell & coil heat exchangers are distinctly characterized by their angular connections, and by the concentric layers of helically corrugated tubes within the shell. Optimizing the performance and heat transfer efficiency of the units.

These JAD heat exchangers are primarily designed for vertical installations and can be installed in virtually any application where space is a constraint, due to their compact size.



MURZAN PI-50 PUMPS

The Air-Operated Double Diaphragm Pump

Harco offers the Murzan PI-50 diaphragm pump, uniquely tailored for sanitary industries like food and beverage, cosmetics, pharmaceuticals, and more. Constructed from premium Stainless Steel, the PI-50 allows easy disassembly for thorough inspection. It features a high-efficiency, oilfree air valve for optimal sanitation and safe transfer of products. Compliant with USDA, FDA, and 3-A standards, it ensures user safety and efficiency.

Contact Harco for your Murzan PI-50 Pump or replacement part inquires.

Type 2100



BÜRKERT VALVES Fluid Control Systems

Pneumatically operated 2/2-way angle seat valves

Type 2000 - CLASSIC The externally piloted angle seat valve is operated with a single or double-acting piston actuator, which is available in two different materials. The reliable self-adjusting packing gland provides high sealing integrity.

- Stainless steel or gunmetal housing with threaded, clamped or welded connection
- Long service life and maintenance-free
- High flow rates
- Robust actuators with modular accessory program

Type 2100 - ELEMENT for decentralized automation Optimised for decentralized process automation in process environments. Allows easy integration of automation units in all expansion stages. Self-adjusting v-seal packing gland. Integrated pilot air ducts and high resistance to chemicals.

- Flow-optimised stainless steel valve body with sleeve, clamp or weld connection
- Long service life and maximum service life
- High flow rates
- Suitable for steam





ROLEC DH (Dry Hopping) Induction System


The simplicity of the ROLEC DH Provides Safe, and Efficient Hop Induction.



The ROLEC line eliminates breweries safety concerns of dry hopping on a ladder at the top of a tall fermenting tank. These fully portable DH systems powered by Ampco's in-line SBI shear blending pump are used at ground level.

The ROLEC dry hopping process maximizes pellet dispersion, flavor, and aroma. The increased surface area and forced contact produces dry hopped beer more efficiently than conventional methods - resulting in decreased tank-time and in many cases greater yield.

The SBI pump recirculates the fermenter while inducing dry hops and fruit, coffee, spices, nuts, honey, maple syrup and more, directly into the stream of beer; all from an oxygen free environment.



HIGH SHEAR INLINE MIXER

The SBI-ROO Cellar Cart makes it possible for small batch brewers to decrease tank time, improve flavor profile and increase shelf life.

The SBI-R00 is a unique and portable hop blending unit with many advantages over conventional cellar carts when used for fermenter recirculation. Allows small scale brewers the ability to chop hop pellets, improve hop yield and increase surface area, while simultaneously recirculating the fermenter. Uses a 1.5 HP motor and VFD which can be operated using 115V single phase power.

There has been tremendous market response to the ROLEC DH 45/90/250 Dry Hop systems utilizing the SBI-R10 and SBI-R20 blenders.

Specifications

- 1.5 HP 3500 RPM Motor
- Available voltages 115V, 208V, 230V, 460V, 575V
- Up to 40 GPM / 9 m³/hr or 1.3 bbls/min recirculation rate
- Up to 50 ft head / 22 psi / 1.5 BAR
- NEMA 4X VFD
- Input cord available
- Stainless steel 2 wheel cart
- Can be used as cellar pump



AMPCO

CB+ Craft Brew Pump

Newest Addition to the AC Series of Pumps

Ampco's new CB+ pump was designed specifically for the craft brewing industry and the aficionados who are passionate about creating their signature brews, not dealing with leaking pumps. Featuring a sanitary internal seal design that will keep seal faces cooler and minimize product buildup.

New CB+ pumps are hydraulically and dimensionally interchangeable with existing C Series pumps.

Ampco offers two CB+ conversion kits, allowing existing C Series and AC+ pumps to be converted to CB+ pumps.

Advantages:

- The internal seal is submersed in product to promote cooling
- Pressure within the pump creates a higher closing force on seal faces to minimize product buildup
- Internal spring agitates wort solids to avoid pooling on seal face





CELLAR CART FOR BEER & CIP

Ampco's Cellar Cart is a lightweight, robust two-wheeled cart designed for maximum mobility. Constructed of stainless steel tubing, solid polypropylene wheels and is corrosion resistant. Built to customer specifications and can include



WINE & MUST CART Equipped with Ampco's ZP1 PD pump

Built to withstand harsh working environments - inside and out – this cart can stand up to whatever the application. Applications include wine and juice transfer, barrel work, filter, filling, and bottling supply.

Available in four standard model sizes. Options are available for each model.





Delivers Portable Transfer Technology

Waukesha REPLACEMENT PARTS

Cost Effective OEM Parts 100% Interchangeable

Guaranteed by Ampco! Save time and money with sanitary positive displacement replacement parts for your Waukesha Universal U1/U2 Series or any Ampco pump model.

We have a large stocked inventory of OEM sanitary pump spare parts you can confidently order replacement shafts, seal kits, alloy rotors, elastomers and more for auick delivery.



FLUX barrel pumps and container pumps are suitable for pumping various thin, low-viscosity - also particularly aggressive and highly flammable - liquids. Due to the low weight of our barrel pumps, they can be easily carried from barrel to barrel. The simple handling of the motor and drum pump also enables short changeover times.

 F 560 FOOD eccentric worm-drive pump - for higher viscosity food



Bearing flange version with compressed-air motor



PIPELINE GASKETS

Large Inventory. Competitive Prices!

All styles and sizes are maintained in stock to ensure you fast delivery of the highest quality gaskets at all times. Closures, Dust Covers, Filters, Strainers, Clamp and other styles are all available.



These Hygienic Fittings meet the exacting demands for safety, reliability, efficiency and hygiene for standard duty in the food, dairy, beverage, personal care, biotechnology and pharmaceutical process applications.





SANITARY FITTINGS HARCO GAUGES

3½" and 5" Sanitary Pressure, Homogenizer, & Pharmaceutical Gauges

Harco's own line of pressure gauges has been designed specifically for the harsh environments found in the dairy and food processing applications.







Digital



COLOUR CODED BRUSHES AND PRODUCTS



Ultra Hygiene Squeegees



Deck-Wall Scrub Brushes



Hand Scrapers







STAINLESS STEEL SHOVELS, PAILS, FORKS, **PADDLES & UTENSILS**

Certified NSF/ANSI Standard 2 Food Equipment. Constructed from heavy duty, type 304 stainless steel with an electropolished finish to enhance corrosion resistance, improve surface finish and for ease of cleaning. Ideal for use in the food processing industry.



CFIA APPROVED SANITARY **LUBRICANTS**

For All Incidental Food **Contact Food Processing Equipment**





Harco Sanitary Spray HL-7

Contains no animal or vegetable fats.

Petro-Gel

Purist of lubricants!

No. 1 Sanitary Lubricant Used In The Dairy Industry And Soft Serve Machines Absolutely Tasteless & Odorless!




Lubricating grease and oils with high load bearing, low friction properties for all incidental food contact food processing equipment.

Enquire today for a complete list of information and applications for these lubricants, along with many of our other lubricants available!!

CALL 1-800-361-5361 or VISIT https://www.harcosupply.com/lubricants/

MADE-TO-ORDER Portable Sanitary Centrifugal Pump Carts

Harco's custom built **Centrifugal Carts** are lightweight, and a robust two-wheeled cart designed for maximum mobility. They are constructed of stainless steel tubing, durable and corrosion resistant wheels. Each versatile cart is built to customer specifications, and can include any of our centrifugal pumps listed below using the LENZE VFDS. Carts are ergonomically designed for ease of use in tight spaces.



Harco distributes equipment and replacement parts for the following lines:

































Rubber Fab





















