



Products Crafted for Breweries, Wineries & Distilleries!



Check out our ever expanding website!

CUSTOM CRIMPED HOSE ASSEMBLIES

HOSES with the fittings you want!

John Perry, Bevel Seat, Q-Line, Tri-Clamp®, Butt-Weld, SMS, DIN, NPT and Camlock.

Novaflex 6506

Connoisseurs Food & Beverage Hose

Special kink and crush-resistant suction and discharge hose meets 3-A, FDA, USDA, and CFIA standards. Designed for demanding applications; temperature and chemical resistance. Features microbe-resistant tube on stainless steel mandrels for cleanliness in non-oily use.



Novaflex 6403 UHMW Tube

Food Suction and Discharge Hose

For specialized applications like food transfer, this rubber hose is flexible and has a white FDA-approved ultra-high molecular weight polyethylene grade tube. Built on stainless steel mandrels for cleanliness, its ultra-smooth, microbe-resistant tube ensures hygiene.



HOSE SUPPORT SYSTEM

Harco is offering a Hose Support System with a durable two-piece design and impact-resistant thermoplastic, it's lightweight yet tough. The safety yellow assembly easily bolts over hoses or stainless steel piping, lifting them off the floor to minimize wear and tear, maintain cleanliness, and protect sanitary connections. During washdown, it prevents damming, promoting efficient drainage and inhibiting bacterial growth. Its safety-focused design, featuring an easy-to-grab handle and high-visibility yellow coating, ensures a safer workplace. Experience the reliability and convenience of this hose support today!




SuperKlean™ WASHDOWN STATIONS AND NOZZLES

WASHDOWN MIXING STATIONS

DURAMIX 8000 Series Steam & Cold Water Hose Stations

SuperKlean's DURAMIX 8000 Series provides safe, efficient steam and cold water mixing, producing hot water instantly with minimal maintenance. Rugged **bronze or 304 stainless steel units** deliver up to 200°F at 30–150 PSI and automatically block live steam if water pressure drops, ensuring top safety.



Includes all components for immediate installation and pipeline connection.

3600 Series Hot & Cold Water Mixing Stations

SuperKlean's 3600 Series delivers durable, cost-effective hot and cold water mixing for plants, pharma operations, and wineries. Stainless steel or brass construction with globe or ball valves ensures long life, precise temperature control, and reliable performance—backed by a 5-year warranty.



Includes all components for immediate installation and pipeline connection.

WASHDOWN HOSES

SuperKlean Hot Water Washdown Hoses

SuperKlean's hot and cold water hoses deliver reliable, long-lasting performance in food, beverage, brewery, and manufacturing facilities. Made from premium EPDM that resists heat, chemicals, and abrasion, they meet FDA standards and handle the toughest sanitation tasks.



Reinforced yet lightweight, these hoses are easy to maneuver, improving efficiency and safety for heavy-duty washdowns.

DURAFLOW SPRAY NOZZLES

DH150S

Dark blue, red, or white.

- Front trigger guard cover designed to prevent accidental spray.
- 4-Position trigger lock mechanism built in.
- Quick connect receptacle for accessories.
- Compatible with DuraWand.



DM150S (Mini)

Dark blue, red, or white.

- Small, compact design.
- Fully insulated.
- 304 Stainless Steel construction weighs only 1.25 lbs.
- 0.5" female NPT inlet.



HEAVY-DUTY NOZZLES

150 SERIES (Standard)


Dark blue, red, white, light blue, or gray.

- Durable rubber covers. Fully insulated.
- Nozzles are available in brass, aluminum, and stainless steel.
- Interchangeable with other similar brands.
- 0.5" female NPT inlet.



SANITARY PUMPS - Flow Components Authorized Alfa Laval & Tetra Pak Distributor

The highly efficient pumps supplied by Harco provide precision pumping for all kinds of fluids with different viscosities, and the desired functionality for gentle and cost effective food production.



Stainless Steel SRU Pump



LKH Pump



DuraCirc® Pump

- Centrifugal
- Rotary Lobe
- Liquid Ring
- Positive



Twin Screw



Stainless Steel LKH Prime Pump



Large Inventory of OEM Spare Parts in stock.

Applications: Brewing, Dairy, Food, and Pharmaceutical Industries.

FOR MORE PUMPS, VISIT OUR WEBSITE AT <https://www.harcosupply.com/pumps/>

SANITARY VALVES - Flow Components Authorized Alfa Laval & Tetra Pak Distributor

The smart design of all valves supplied by Harco incorporate state of the art, precision engineered designs that meet or exceed current regulatory requirements. This category covers a wide range of valves for both sanitary, aseptic and non-sanitary applications.

- Unique - Mixproof - PMO
- Single Seat - SSV/7000 Series
- Shutter/Butterfly
- Regulating
- Sampling
- Automation
- LKC check valves



Applications: Brewing, Dairy, Food, and Pharmaceutical Industries.

FOR MORE VALVES, VISIT OUR WEBSITE AT <https://www.harcosupply.com/valves/>

Large Inventory of OEM Spare Parts in stock.

Alfa Laval ThinkTop® V20, V40, V50, V55 and V70 units

elevate valve control to an entirely new level. These advanced features are available across the full range of Alfa Laval diaphragm, butterfly, single-seat, and mixproof valves.

Benefits:

- Automatic valve recognition
- Automatic selection of tolerance band
- Fast Auto, Live and Flex Setup
- 360-degree LED indication
- Burst seat clean
- Exchangeable (threaded) air-fittings
- Interchangeable with ThinkTop class



FOR MORE VALVES, VISIT OUR WEBSITE AT <https://www.harcosupply.com/valves/control-tops/>

HEAT EXCHANGERS

For Sanitary, Industrial, Process Applications

Harco gives you access to a wide range of compact plate heat exchangers that are especially designed for pasteurizing, and other kinds of heating and cooling of liquid foods.



BRAZED PLATE HEAT EXCHANGERS

Alfa Laval brazed heat exchangers are a compact and efficient solution for heating and cooling duties using water, evaporation and condensing, coolants, oil and refrigerants.

CB brazed plate heat exchangers provide high thermal efficiency.

Optimized for demanding duties, **Alfa Laval's patented AlfaNova** is a unique fusion-bonded heat exchanger made from 100% stainless steel.




Authorized Distributor  Tetra Pak



PLATES AND GASKETS

Harco provides plates, gaskets, and technical support for many brands of heat exchangers.

Whether you require individual components or complete packs, we meet your unique needs.



AIC - JAD LINE HEAT EXCHANGERS

Stainless Steel & Coil Heat Exchangers

JAD shell & coil heat exchangers are distinctly characterized by their angular connections, and by the concentric layers of helically corrugated tubes within the shell. Optimizing the performance and heat transfer efficiency of the units.

These JAD heat exchangers are primarily designed for vertical installations and can be installed in virtually any application where space is a constraint, due to their compact size.



MURZAN PI-50 PUMPS

The Air-Operated Double Diaphragm Pump

Harco offers the Murzan PI-50 diaphragm pump, uniquely tailored for sanitary industries like food and beverage, cosmetics, pharmaceuticals, and more. Constructed from premium Stainless Steel, the PI-50 allows easy disassembly for thorough inspection. It features a high-efficiency, oil-free air valve for optimal sanitation and safe transfer of products. Compliant with USDA, FDA, and 3-A standards, it ensures user safety and efficiency.

Contact Harco for your Murzan PI-50 Pump or replacement part inquires.



MURZAN
PUMPS & PROCESSING SYSTEMS

BÜRKERT VALVES Fluid Control Systems

Pneumatically operated 2/2-way angle seat valves

Type 2000 - CLASSIC The externally piloted angle seat valve is operated with a single or double-acting piston actuator, which is available in two different materials. The reliable self-adjusting packing gland provides high sealing integrity.

- Stainless steel or gunmetal housing with threaded, clamped or welded connection
- Long service life and maintenance-free
- High flow rates
- Robust actuators with modular accessory program

Type 2100 - ELEMENT for decentralized automation Optimised for decentralized process automation in process environments. Allows easy integration of automation units in all expansion stages. Self-adjusting v-seal packing gland. Integrated pilot air ducts and high resistance to chemicals.

- Flow-optimised stainless steel valve body with sleeve, clamp or weld connection
- Long service life and maximum service life
- High flow rates
- Suitable for steam



Type 2100



Type 2000

Authorized Distributor
bürkert
FLUID CONTROL SYSTEMS

ROLEC DH (Dry Hopping) Induction System


The simplicity of the ROLEC DH Provides Safe, and Efficient Hop Induction.



The ROLEC line **eliminates breweries safety concerns** of dry hopping on a ladder at the top of a tall fermenting tank. These **fully portable DH systems** powered by Ampco's in-line SBI shear blending pump are used at ground level.

The ROLEC dry hopping process maximizes pellet dispersion, flavor, and aroma. The increased surface area and forced contact produces dry hopped beer more efficiently than conventional methods – resulting in decreased tank-time and in many cases greater yield.

The SBI pump recirculates the fermenter while inducing dry hops and fruit, coffee, spices, nuts, honey, maple syrup and more, directly into the stream of beer; all from an oxygen free environment.



HIGH SHEAR INLINE MIXER

The SBI-R00 Cellar Cart makes it possible for small batch brewers to decrease tank time, improve flavor profile and increase shelf life.



The **SBI-R00** is a unique and portable **hop blending unit** with many advantages over conventional cellar carts when used for fermenter recirculation. Allows small scale brewers the ability to chop hop pellets, improve hop yield and increase surface area, while simultaneously recirculating the fermenter. Uses a 1.5 HP motor and VFD which can be operated using 115V single phase power.

There has been tremendous market response to the ROLEC DH 45/90/250 Dry Hop systems utilizing the SBI-R10 and SBI-R20 blenders.

Specifications

- 1.5 HP 3500 RPM Motor
- Available voltages - 115V, 208V, 230V, 460V, 575V
- Up to 40 GPM / 9 m³/hr or 1.3 bbls/min recirculation rate
- Up to 50 ft head / 22 psi / 1.5 BAR
- NEMA 4X VFD
- Input cord available
- Stainless steel 2 wheel cart
- Can be used as cellar pump



CB+ Craft Brew Pump

Newest Addition to the AC Series of Pumps


Ampco's new CB+ pump was designed specifically for the craft brewing industry and the aficionados who are passionate about creating their signature brews, not dealing with leaking pumps. Featuring a sanitary internal seal design that will keep seal faces cooler and minimize product buildup.

New CB+ pumps are hydraulically and dimensionally interchangeable with existing C Series pumps.

Ampco offers two CB+ conversion kits, allowing existing C Series and AC+ pumps to be converted to CB+ pumps.

Advantages:

- The internal seal is submersed in product to promote cooling
- Pressure within the pump creates a higher closing force on seal faces to minimize product buildup
- Internal spring agitates wort solids to avoid pooling on seal face



Ampco Pumps Company

CELLAR CART FOR BEER & CIP

Ampco's Cellar Cart is a lightweight, robust two-wheeled cart designed for maximum mobility. Constructed of stainless steel tubing, solid polypropylene wheels and is corrosion resistant. Built to customer specifications and can include any of Ampco's centrifugal pumps, positive displacement pumps, or blenders.



Ampco Pumps Company

WINE & MUST CART Equipped with Ampco's ZP1 PD pump

Built to withstand harsh working environments – inside and out – this cart can stand up to whatever the application. Applications include wine and juice transfer, barrel work, filter, filling, and bottling supply.

Available in four standard model sizes. Options are available for each model.



Delivers Portable Transfer Technology

Waukesha REPLACEMENT PARTS

**Cost Effective OEM Parts 100% Interchangeable
Guaranteed by Ampco!**

Save time and money with sanitary positive displacement replacement parts for your Waukesha Universal U1/U2 Series or any Ampco pump model.

We have a large stocked inventory of OEM sanitary pump spare parts you can confidently order replacement shafts, seal kits, alloy rotors, elastomers and more for quick delivery.



FLUX BARREL & CONTAINER PUMPS

FLUX barrel pumps and container pumps are suitable for pumping various thin, low-viscosity - also particularly aggressive and highly flammable - liquids. Due to the low weight of our barrel pumps, they can be easily carried from barrel to barrel. The simple handling of the motor and drum pump also enables short changeover times.

- F 560 FOOD eccentric worm-drive pump – for higher viscosity food



Bearing flange version with compressed-air motor



Planetary gear version with three-phase motor

PIPELINE GASKETS

*Large Inventory,
Competitive Prices!*

All styles and sizes are maintained in stock to ensure you fast delivery of the highest quality gaskets at all times. Closures, Dust Covers, Filters, Strainers, Clamp and other styles are all available.



Gaskets for All Sanitary Processing Equipment.

SANITARY FITTINGS

These Hygienic Fittings meet the exacting demands for safety, reliability, efficiency and hygiene for standard duty in the food, dairy, beverage, personal care, biotechnology and pharmaceutical process applications.



HARCO GAUGES

3½" and 5" Sanitary Pressure, Homogenizer, & Pharmaceutical Gauges

Harco's own line of pressure gauges has been designed specifically for the harsh environments found in the dairy and food processing applications.



Sanitary Gauges



Homogenizer Gauges

Digital Thermometers


COLOUR CODED BRUSHES AND PRODUCTS



Short Handle Brushes



Soft/Stiff Floor Brooms



Ultra-Hygienic Handles

Hi-Low
Wall/Floor
Brushes



Food Hoes



Tank Brushes



Tube Valve Brushes

CFIA APPROVED SANITARY LUBRICANTS

**For All Incidental Food Contact
Food Processing Equipment**



Harco Sanitary Spray HL-7
Sanitary Lubrication That Meets
Food-Grade Standards.

**Tasteless. Odorless. Non-toxic.
Made in Canada.**

Harco's **Sanitary Lubricating Spray HL-7** is specially formulated for use on dairy and food processing equipment—ideal for applications where incidental food contact may occur.

Contains no animal or vegetable fats.



Haynes
Silicone
Spray



Haynes
Lubri-Film
A heavy duty
lubricant.



Haynes
Spray
A light duty
lubricant
for fast
application.



Petro-Gel
Purist of lubricants!

**No. 1 Sanitary Lubricant
Used In The Dairy
Industry And Soft
Serve Machines**

Absolutely Tasteless & Odorless!



STAINLESS STEEL SHOVELS, PAILS, FORKS, PADDLES & UTENSILS

Certified NSF/ANSI Standard 2 Food Equipment. Constructed from heavy duty, type 304 stainless steel with an electropolished finish to enhance corrosion resistance, improve surface finish and for ease of cleaning. Ideal for use in the food processing industry.



Lubricating grease and oils with high load bearing, low friction properties for all incidental food contact food processing equipment.

Enquire today for a complete list of information and applications for these lubricants, along with many of our other lubricants available!!

CALL 1-800-361-5361 or VISIT
<https://www.harcosupply.com/lubricants/>

DELIVERING CLEAN RESULTS WITH SANI-MATIC



SANI-MATIC

Protect and improve your processes with high quality and customized components such as strainers, spray devices, tank components, and more.



STRAINERS



SPRAY DEVICES & SUPPLY TUBES



COP PARTS BASKETS

DISCOVER THE AMPCO H SERIES PUMPS HIGH-CAPACITY SANITARY CENTRIFUGAL PUMPS

Harco is proud to offer the **Ampco H Series sanitary centrifugal pumps**, engineered for high-capacity, high-efficiency performance. Constructed from 316L stainless steel with balanced impellers, these pumps provide durability, corrosion resistance, and reliable operation. The one-size seal design across all models simplifies maintenance and reduces spare parts costs, while close-coupled JM frame motors minimize vibration and extend bearing life. With 8 models available and **100% interchangeable with competing 200 Series pumps**, the H Series from Harco is ideal for dairy, beverage, food, and other hygienic processing applications.

Performance:

- Flow Rate: Up to 1300 GPM / 295 m³/hr
- Viscosity: Up to 500 cP
- Discharge Pressure: Up to 340' / 147 PSI / 10 BAR
- Temperature Rating: Up to 400°F / 203°C
- Seal Options: 3



Harco distributes equipment and replacement parts for the following lines:



www.harcosupply.com
675 The Parkway,
Peterborough, Ontario K9J 7K2



800-361-5361
705-743-5361
sales@harco.on.ca